

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	170	(MAC or (medium with access with control\$4)) with layer same reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:42
L6	2	5 and flush\$3 with reorder\$3 with buffer\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:43
L7	9697	(MAC or (medium with access with control\$4)) with layer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:03
L8	7	7 and flush\$3 with reorder\$3 with buffer\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:44
L9	182	7 and flush\$3 with buffer\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:45
L10	19	5 and flush\$3 with buffer\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:45
L11	5	((radio with network with controll\$3) or RNC) with (inform\$3 or request\$3 or notif\$8) with MAC with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:49
L12	89	(wireless or mobile or MS or (user with equipment) or UE) with receiv\$3 with (request\$3 or notif\$8) with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 13:49
L13	162	radio and (MAC or (media with access with control\$4)) with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:02
L14	24	13 and flush\$3 with status	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:04
L15	131	radio and wireless and (MAC or (media with access with control\$4)) with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:02
L16	24	15 and flush\$3 with status	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:03

L17	643	(MAC or (medium with access with control\$4)) with layer and RNC	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:05
L18	2	17 and flush\$3 with status	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:04
L19	3	17 and flush\$3 same status	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:05
L20	1079	(MAC or (medium with access with control\$4)) with layer and (RLC or RNC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:15
L21	9	20 and flush\$3 same status	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:17
L22	29	(MAC or (medium with access with control\$4)) with layer same reset\$4 and (RLC or RNC or (base with station with controller))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:16
L23	49	20 and flush\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:16
L24	49	20 and flush\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:17
L25	7	20 and flush\$3 with reorder\$3 with (buffer\$3 or queue\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:18
L26	33	20 and flush\$3 with (buffer\$3 or queue\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:43
L27	7	26 and status with report\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/02/08 14:19